

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	

DMX cable

AES/EBU & DMX 512 preassembled

HELULIGHT®



Cable

AES/EBU & DMX cable, Part no. 400032
AES/EBU & DMX 512, Part no. 400033

Connector

Black HICON or Neutrik XLR plug connectors

Application

The pre-assembled HELULIGHT® AES/EBU & DMX 512 cable is used for the transmission of digital signals in the 110 Ω AES/EBU and DMX data formats.

AES/EBU & DMX cables

XLR male ⇔ XLR female 3-pin, HICON

Part no.	Length
410056	3,0 m
410057	5,0 m
410058	7,5 m
410059	10,0 m

AES/EBU & DMX cables

XLR male ⇔ XLR female 5-pin, 3-pin assigned, HICON

Assignment: Screen on PIN 1, + on PIN 2, - on PIN 3

Part no.	Length
410065	2,5 m
410066	5,0 m
410067	10,0 m
410068	20,0 m

AES/EBU & DMX cables

XLR male 3-pin ⇔ XLR female 5-pin, 3-pin assigned, Neutrik

Assignment: Screen on PIN 1, + on PIN 2, - on PIN 3

Part no.	Length
410074	0,1 m
410075	1,0 m
410076	2,5 m
410077	5,0 m

AES/EBU & DMX 512

XLR male ⇔ XLR female 5-pin, fully assigned, HICON

Part no.	Length
410082	2,5 m
410083	5,0 m
410084	10,0 m
410085	20,0 m

AES/EBU & DMX cables

XLR male ⇔ XLR female 3-pin, Neutrik

Part no.	Length
410060	2,5 m
410061	5,0 m
410062	10,0 m
410063	20,0 m
410064	50,0 m

AES/EBU & DMX cables

XLR male ⇔ XLR female 5-pin, 3-pin assigned, Neutrik

Assignment: Screen on PIN 1, + on PIN 2, - on PIN 3

Part no.	Length
410069	2,5 m
410070	5,0 m
410071	10,0 m
410072	20,0 m
410073	50,0 m

AES/EBU & DMX cables

XLR male 5-pin ⇔ XLR female 3-pin, 3-pin assigned, Neutrik

Assignment: Screen on PIN 1, + on PIN 2, - on PIN 3

Part no.	Length
410078	0,1 m
410079	1,0 m
410080	2,5 m
410081	5,0 m

AES/EBU & DMX 512

XLR male ⇔ XLR female 5-pin, Neutrik

Part no.	Length
410086	2,5 m
410087	5,0 m
410088	10,0 m
410089	20,0 m
410090	50,0 m

Dimensions and specifications may be changed without prior notice.

Speaker cable

Speaker cable preassembled

HELUSOUND®



Cable

Speaker cable, round, paired / multi-core

Connector

XLR connector from Neutrik;
Speakon connector from Neutrik or Amphenol

Application

The pre-assembled HELUSOUND® speaker cable for professional media technology.

Loudspeaker, round, paired

TWINAXIAL, XLR male ↔ XLR female, Neutrik

Part no.	Length
410091	1,0 m
410092	2,5 m
410093	5,0 m
410094	10,0 m
410095	15,0 m
410096	20,0 m

Loudspeaker, round, paired

Speakon ↔ Speakon 2-pin, Neutrik

Part no.	Length
410104	1,0 m
410105	2,5 m
410106	5,0 m
410107	10,0 m
410108	15,0 m
410109	20,0 m
410110	25,0 m

Loudspeaker, round, multicore

Neutrik NL4F, fully assigned, individual cores numbered

Part no.	Length
410118	1,0 m
410119	2,5 m
410120	5,0 m
410121	10,0 m
410122	15,0 m
410123	20,0 m
410124	25,0 m

Loudspeaker, round, paired

Speakon ↔ Speakon 2-pin, Neutrik

Part no.	Length
410097	1,0 m
410098	2,5 m
410099	5,0 m
410100	10,0 m
410101	15,0 m
410102	20,0 m
410103	25,0 m

Loudspeaker, round, multicore

Neutrik NL8FL, fully assigned, individual cores numbered

Part no.	Length
410125	5,0 m
410126	10,0 m
410127	15,0 m
410128	20,0 m
410129	25,0 m

Loudspeaker, round, multicore

Amphenol EP8, fully assigned, individual cores numbered

Part no.	Length
410130	10,0 m
410131	15,0 m
410132	20,0 m
410133	25,0 m
410134	50,0 m

Dimensions and specifications may be changed without prior notice.

Microphone cable

Microphone cable preassembled

HELUSOUND®



Cable

Microphone cable 2x0,22, Part No. 400038

Connector

HI-XCM3N-BLK connector or HI-XCF3N-BLK from HICON
NC3MX or NC3FX from Neutrik

Application

The pre-assembled HELUSOUND® microphone cable for professional use in media, radio and stage technology.

Microphone cables

XLR male ↔ XLR female, HICON

Cables only in black

Part no.	Length
410135	1,0 m
410136	3,0 m
410137	6,0 m
410138	10,0 m
410139	15,0 m

Microphone cables

XLR male ↔ XLR female, Neutrik

Part no.	Length
410140	0,5 m
410141	1,0 m
410142	2,5 m
410143	5,0 m
410144	7,5 m
410145	10,0 m
410146	15,0 m
410147	20,0 m

Dimensions and specifications may be changed without prior notice.

Video cable

Video cable, preassembled



Cable

RG58 cable with bend protection sleeve 50 Ohm
RG59 cable with bend protection sleeve 75 Ohm
0,8/3,7 video patch cable

Connector

BNC plug connectors from HICON
HDTV-BNC video plug connector from Damar+Hagen

Application

The pre-assembled video cable for professional use in media, radio and video technology.

RG 58

BNC male ↔ BNC male 50 Ohm, HICON

Part no.	Length
410148	0,25 m
410149	0,5 m
410150	0,75 m
410151	1,0 m
410152	2,0 m
410153	3,0 m
410154	5,0 m
410155	10,0 m

RG 59

BNC male ↔ BNC male 75 Ohm, HICON

Part no.	Length
410156	0,25 m
410157	0,5 m
410158	0,75 m
410159	1,0 m

RG 59

BNC male ↔ BNC male 75 Ohm, HICON

Part no.	Length
410160	2,0 m
410161	3,0 m
410162	5,0 m
410163	10,0 m

0,8 / 3,7 Video patch cables


HDTV BNC male ↔ HDTV BNC male, Damar+Hagen

Part no.	Length
410164	0,25 m
410165	0,5 m
410166	0,75 m
410167	1,0 m
410168	2,0 m
410169	3,0 m
410170	5,0 m
410171	10,0 m

Dimensions and specifications may be changed without prior notice.

HELUTEC-Star

preassembled on both sides with flexible JZ-500, numbered



Cable

HELUKABEL® JZ 500

Connector

HELUTEC-Star

Application

The pre-assembled HELUTEC-Star control cable for the professional Media, Broadcast and Stage Technic using.

Part no.	Wire	No. cores x cross-sec. mm ²	Outer Ø app. mm	Length m	Plug 1	Plug 2
410000	10105	14 G 1,5	12,9	1,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410001	10105	14 G 1,5	12,9	3,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410002	10105	14 G 1,5	12,9	5,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410003	10105	14 G 1,5	12,9	10,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410004	10105	14 G 1,5	12,9	15,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410005	10105	14 G 1,5	12,9	20,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410006	10105	14 G 1,5	12,9	30,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F

Part no.	Wire	No. cores x cross-sec. mm ²	Outer Ø app. mm	Length m	Plug 1	Plug 2
410007	10107	18 G 1,5	14,5	1,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410008	10107	18 G 1,5	14,5	3,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410009	10107	18 G 1,5	14,5	5,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410010	10107	18 G 1,5	14,5	10,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410011	10107	18 G 1,5	14,5	15,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410012	10107	18 G 1,5	14,5	20,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410013	10107	18 G 1,5	14,5	30,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F

Part no.	Wire	No. cores x cross-sec. mm ²	Outer Ø app. mm	Length m	Plug 1	Plug 2
410014	10131	14 G 2,5	16,1	1,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410015	10131	14 G 2,5	16,1	3,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410016	10131	14 G 2,5	16,1	5,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410017	10131	14 G 2,5	16,1	10,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410018	10131	14 G 2,5	16,1	15,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410019	10131	14 G 2,5	16,1	20,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410020	10131	14 G 2,5	16,1	30,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F

Part no.	Wire	No. cores x cross-sec. mm ²	Outer Ø app. mm	Length m	Plug 1	Plug 2
410021	10132	18 G 2,5	18,1	1,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410022	10132	18 G 2,5	18,1	3,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410023	10132	18 G 2,5	18,1	5,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410024	10132	18 G 2,5	18,1	10,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410025	10132	18 G 2,5	18,1	15,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410026	10132	18 G 2,5	18,1	20,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410027	10132	18 G 2,5	18,1	30,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F

Dimensions and specifications may be changed without prior notice.

HELUTEC-Star

preassembled on both sides with flexible JZ-600, numbered



Cable

HELUKABEL® JZ 600

Connector

HELUTEC-Star

Application

The pre-assembled HELUTEC-Star control cable for the professional Media, Broadcast and Stage Technic using.

Part no.	Wire	No.cores x cross-sec. mm ²	Outer Ø app. mm	Length m	Plug 1	Plug 2
410028	10672	14 G 1,5	17,4	1,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410029	10672	14 G 1,5	17,4	3,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410030	10672	14 G 1,5	17,4	5,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410031	10672	14 G 1,5	17,4	10,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410032	10672	14 G 1,5	17,4	15,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410033	10672	14 G 1,5	17,4	20,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410034	10672	14 G 1,5	17,4	30,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F

Part no.	Wire	No.cores x cross-sec. mm ²	Outer Ø app. mm	Length m	Plug 1	Plug 2
410035	10674	18 G 1,5	19,7	1,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410036	10674	18 G 1,5	19,7	3,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410037	10674	18 G 1,5	19,7	5,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410038	10674	18 G 1,5	19,7	10,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410039	10674	18 G 1,5	19,7	15,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410040	10674	18 G 1,5	19,7	20,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410041	10674	18 G 1,5	19,7	30,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F

Part no.	Wire	No.cores x cross-sec. mm ²	Outer Ø app. mm	Length m	Plug 1	Plug 2
410042	10700	14 G 2,5	19,6	1,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410043	10700	14 G 2,5	19,6	3,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410044	10700	14 G 2,5	19,6	5,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410045	10700	14 G 2,5	19,6	10,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410046	10700	14 G 2,5	19,6	15,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410047	10700	14 G 2,5	19,6	20,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F
410048	10700	14 G 2,5	19,6	30,0	HELUTEC-STAR 16-pole M	HELUTEC-STAR 16-pole F

Part no.	Wire	No.cores x cross-sec. mm ²	Outer Ø app. mm	Length m	Plug 1	Plug 2
410049	10701	18 G 2,5	22,0	1,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410050	10701	18 G 2,5	22,0	3,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410051	10701	18 G 2,5	22,0	5,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410052	10701	18 G 2,5	22,0	10,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410053	10701	18 G 2,5	22,0	15,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410054	10701	18 G 2,5	22,0	20,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F
410055	10701	18 G 2,5	22,0	30,0	HELUTEC-STAR 24-pole M	HELUTEC-STAR 24-pole F

Dimensions and specifications may be changed without prior notice.

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	